新多智

CUSTOMER'S PRODUCT NAME:

EMTEK PRODUCT NAME:

CMF4532F-SERIES-Tms

THIS SPECIFICATION IS:

「FULLY ACCEPTED

DENIED

ACCEPTED UNDER THE FOLLOWING CONDITIONS

SIGNATURE: DATE:

NAME(PRINT):

TITLE:



SPEC. NO: T-0602-141E

FACTORY:

39,Chingao Rd.,(305)Hsinpu, Hsinchu Hsien,Taiwan,R.O.C

TEL: 03-5894-433 FAX: 03-5894-523

本文件內容全部或部份,未經兆欣科技股份有限公司同意不得以任何形式複製或其他用途 All rights reserved. This document or parts thereof, may not be reproduced by any means or used in any manner witout written permission of EMTEK CO.,LTD.

SPEC. NO.

T-0602-141E



1. Scope


This specification applies ferrite Chip common mode filters CMF4532F-Series-Tms to be delivered to user.


2. Product Identification

<u>CMF</u> 4532 <u>F</u> - 6<u>00</u> - <u>2P</u> - <u>Tms</u>

- $\overline{(1)}$ (2) $\overline{(3)}$ $\overline{(4)}$ $\overline{(5)}$ $\overline{(6)}$
- (1) Product name
- (2) Shapes and dimensions
- (3) Shielding Type
- (4) Impedance [at 100MHz] 600:60 Ω
- (5) Number of Line 2P:2-Line
- (6) For Customer Design


3. Shapes and Dimensions [Dimensions in mm]






A: 4.5 ± 0.2 B: 3.2 ± 0.2

 $C: 2.8\pm0.2$





| Drawn by | Checked by | Approved by |
|-----------------------|------------|------------------|
| Cindy Dec. 1. 2016 | Frenz | Su Deil. 2016 |

SPEC. NO.

T-0602-141E




4. Electrical Characterisitics

4-1 Electrical Spec.


| | Common-Mode | Common-Mode | DC | Rated | Rated | Withstanding | Insulation |
|-------------------------|-----------------------|--------------|--------------------|-------------|---------|--------------|------------|
| Our Product Part Number | Impedance | Inductance | Resistance | Current | Voltage | Voltage | Resistance |
| | $Z(\Omega)$ at 100MHz | uH at 100KHz | $Rdc(\Omega)$ Max. | Idc(A) Max. | Vdc(V) | Vdc(V) | (MΩ)Min. |
| CMF4532F-600-2P-Tms | 60 ±25% | | 0.05 | 2.0 | 50 | 125 | 10 |
| CMF4532F-900-2P-Tms | 90 ±25% | | 0.05 | 2.0 | 50 | 125 | 10 |
| CMF4532F-161-2P-Tms | 160 ±25% | | 0.08 | 2.0 | 50 | 125 | 10 |
| CMF4532F-231-2P-Tms | 230 ±25% | | 0.10 | 1.8 | 50 | 125 | 10 |
| CMF4532F-421-2P-Tms | 420 ±25% | | 0.10 | 1.6 | 50 | 125 | 10 |
| CMF4532F-601-2P-Tms | 600 ±25% | 2.0 ±50% | 0.07 | 2.8 | 50 | 125 | 10 |

Rated Current Idc : DC current (A) that will cause an approximate △T of 40°C

4-2 Characteristics (Reference)



Frequency (MHz)



Frequency (MHz)


SPEC. NO.

T-0602-141E




4-2 Characteristics (Reference)


CMF4532F-421-2P-Tms



CMF4532F-601-2P-Tms



SPEC. NO.






4-3 Test Equipment


4-3-1 Impedance

Measured by using Agilent E4991A RF Impedance Analyzer.



4-3-2 DC Resistance


Measured by using Chroma 16502 mill ohm meter.



4-3-3 Insulation Resistance

Measured by using Chroma 19073

Measurement voltage: 50v, Measurement time: 60 sec.



SPEC. NO.



T-0602-141E

5.Reliability Test

| 5. Kenability Test | | | | |
|---------------------------------------|-------------------------------------|-------------------------------------------------------------------------------------------------------|--|--|
| Operating temperature : -40 to +125°C | | Storage temp and humidity :-40 to 85°C, 70%RH max. | | |
| Item | Specifications | Test conditions | | |
| Solder- | It can be connected on the | Apply cream solder to the test circuit board. | | |
| ability | Recommendation soldering condition. | It is mounted on the recommendation soldering condition. | | |
| Terminal | The terminal electrode and the | Solder a chip to test substrate, and then laterally apply a | | |
| strength | ferrite must not be dam 160±25% | load 1.8Kg in the arrow direction. | | |
| | | φ1.0 Test Board | | |
| Strength on | The terminal electrode and the | Soldering a chip to a test substrate, | | |
| pc board | ferrite must not be damaged. | bend the substrate by 2mm and then return. | | |
| bending | 40 Width side Force | | | |
| | | Dimensions in mm ss base epoxy multiplayer board pc board pattern. n: Recommended PC board pattern. | | |

SPEC. NO.

T-0602-141E

| Item | Specifications | Test conditions | |
|-------------|--------------------------------------------|-------------------------------------------------------------------------------------------------------|--|
| High | Appearance: Ferrite shall not be | Temperature : +125±2°C | |
| temperature | damaged. | Applied voltage: Rated voltage | |
| resistance | Impedance: Within ±20% of the | Applied current : Rated current | |
| | initial value. | Testing time: 500±12 hours | |
| | insulation resistance: $>10(M\Omega)$ | Measurement : After placing for 24 hours min. | |
| | DC resistance : standard value | | |
| Humidity | inside. | Temperature : +85±2°C | |
| resistance | | Humidity: 90 to 95%RH | |
| | | Applied current : Rated current | |
| | | Applied voltage: Rated voltage | |
| | | Testing time: 500±12 hours | |
| | | Measurement : After placing for 24 hours min. | |
| Thermal | | Tomporature: 40°C +125°C | |
| | | Temperature : -40°C,+125°C kept stabilized for 30 minutes each. | |
| cycle | | Cycle: 100 cycle | |
| | | Measurement : After placing for 24 hours min. | |
| | | 1 cycle 30 min. 30 sec 30 min. | |
| Low | | Temperature : $-40\pm2^{\circ}$ C | |
| temperature | | Testing time: 500±12 hours | |
| resistance | | Measurement : After placing for 24 hours min. | |
| Vibration | Appearance : Ferrite shall not be damaged. | Frequency: 10 to 50 Hz Amplitude: 1.52 mm Dimension and times: X,Y and Z directions for 2 hours each. | |
| | | | |

SPEC. NO.







6.Packaging


The packaging must be done not to receive any damage during transporting and storing

6-1 Tape dimensions




6-2 Reel dimensions





| (L | (Dimensions in mm) | |
|--------|----------------------|--|
| Symbol | Т | |
| φΑ | 180+0,-3 | |
| φΒ | 60+1, -0 | |
| φC | 13±0.2 | |
| D | 2.2±0.5 | |
| W | 12.0±0.3 | |
| t | 1.2 | |
| R | 1 | |

6-3 Tapping figure




SPEC. NO.

T-0602-141E



6-4 Packaging Form

There shall not continuation more than two vacancies of the product.




Material of carrier tape : Polystyrene Material of cover tape : Polyester

6-5 Cover Tape Peel Strength

The force for tearing off cover tape is $0.05\sim0.69(N)$ in the arrow direction at the following conditions:

Temperature : $5 \sim 35^{\circ}$ C Humidity : $45 \sim 85\%$

Atmospheric pressure: 860 ~ 1060 hpa



6-6 Packing Quantity


 $\phi 180 \; mm \; reel \; T \; type$: $500 \; pcs./reel$


SPEC. NO.



T-0602-141E


7. Recommended Soldering Conditions (Please use this product by reflow soldering) 7-1 Recommended Footprint





7-2 Recommended Reflow Pattern

Reflow: until two times



7-3 Iron Soldering

Use a solder iron of less than 30W when soldering, do not allow the soldering iron tip directly tough the ferrite body outside fo terminal electrode.

2 seconds max. at 280°C.

8. Attention in Case of Using

In case of using product, please avoid following matters:

Splashing water or salt water

Dew condenses

Toxic gas (Hydrogen sulfide, Sulfurous acid, Chlorine, Ammonia)

Vibrations or shocks which exceed the specified condition

Please be careful for the stress to this product by board flexure or something after the mounting.

*Recommended wire wound inductors should be used within 6 months from the time of delivery.

