SPECIFICATION FOR APPROVAL

		CN:
CUSTOMER	:	
PRODUCT TYPE	: SMD X'TAL 2.0×1.6	
NOMINAL FREQ.	: 27.00000MHz	
TXC P/N	: AY27000003	
REVISION	: S2	
CUSTOMER P/N	:	
PM / SALES	:	
DATE	:	
CUSTOMER CONFIRMATION	: (Singnature)	
	(Date)	

- (1) TXC requires one copy returned with signature and title of authorized individual that signifies acceptance of the attached specifications.
- (2) Orders received and accepted by TXC after return of signed copy of specification will be produced per these specifications.
- (3) Any changes to these specifications must be agreed upon by both parties and new revision of the Product Specification Sheet will be issued.
- (4) Any issuance of purchase order prior to consigning back the Approval page of "Specification Sheets" from customers will be regarded as the agreement on the contents of these specifications.

MSL:Level 1
RoHS Compliant

(for glass crystal only: Pb used with sealing glass material is exempt from EU directive)



www.txccorp.com

PRODUCT SPECIFICATION SHEET

		CN:
•	SMD X'TAL 2.0×1.6	
	27.000000MHz	
:	AY27000003	
	S2	
		AY27000003

PE/RD	QA	MFG
Minglin Tseng		
Minlin Tseng		
19-Apr-17		

NOTE:

- (1) TXC green product standard is based on the international standards. Relevant information is posted on the TXC website and updated regularly. The documentation is subject to the latest green product quality system.
- (2) Revision "Sx" is for engineering samples only. PE/RD's approval required.
- (3) Revision "Ax" is production ready. PE, QA and MFG's approval required.

MSL:Level 1
RoHS Compliant

(for glass crystal only : Pb used with sealing glass material is exempt from EU directive)



TXC CORPORATION TXC P/N : AY27000003 REVISION: S2 PAGE: 1

<u>Rev</u>	Revise page	Revise contents	<u>Date</u>	Ref.No.	Reviser
S1	N/A	Initial released	18-Aug-15	PNR15072904	Yoyo Wang
\$2	3 & 4	1.Production location add China 2.Add SUGGESTED MANUAL SOLDER CONDITION 3.Correct STRUCTURE ILLUSTRATION typing error	19-Apr-17	PNR17041913	Jasmine Yeh

TXC CORPORATION TXC P/N: AY27000003 REVISION: S2 PAGE: 2

■ ELECTRICAL SPECIFICATIONS

Standard conditions

Ambient temperature : $25\pm5^{\circ}$ C Relative humidity : $40\%\sim70\%$

In addition to special specifications, are measured in the standard environment.

Ambient temperature : $25\pm3^{\circ}$ C Relative humidity : $40\%\sim70\%$

If there is any doubt about the result, it is necessary to make measurements in the standard environment.

Measure equipment

Electrical characteristics measured by S&A 250B or equivalent.

Crystal cutting type

The crystal is using AT CUT (thickness shear mode).

Unit Weight:


0.0065±0.001 g/pcs


	Parameters	SYM.		Electrical Spec.			Notes	
	Farameters	STIVI.	MIN	TYPE	MAX	UNITS	Notes	
1	Nominal Frequency	FL	2	27.000000)	MHz	-	
2	Oscillation Mode	-	Fı	undament	al	-	-	
3	Load Capacitance	CL		8		pF	-	
4	Frequency Tolerance	-		±30		ppm	at 25 ℃ ± 3 ℃	
5	Frequency Stability	-	±30		ppm	Over Operating Temp. Range (Reference 25℃)		
6	Operating Temperature	-	-40	~	105	$^{\circ}\!\mathbb{C}$	-	
7	Aging		±3		ppm	1st Year		
8	Drive Level	DL	-	-	100	μ W	-	
9	Effective Resistance	Rr	-	-	50	Ω	-	
10	Shunt Capacitance	C0	-	-	3	pF	-	
11	Insulation Resistance	-	500	-	-	МΩ	at DC 100V	
12	Storage Temperature Range	-	-40	~	105	$^{\circ}\!\mathbb{C}$	-	


TXC CORPORATION TXC P/N: AY27000003 REVISION: S2 PAGE: 3

DIMENSIONS


(Unit:mm)








MARKING



Production location: Taiwan or China

■ SUGGESTED REFLOW PROFILE

Peak Temperature : 260±5°C , 10 sec. Max. Solder melting point : 220±10 °C , 60 sec. Min.



■ SUGGESTED MANUAL SOLDER CONDITION

Temperature: 350 ± 10 $^{\circ}$ C

Time: 3 sec.


Re-solder times: twice

NOTE: After welding manually, the product should be placed at least 2 hours.



TXC TXC CORPORATION TXC P/N: AY27000003 REVISION: S2 PAGE: 4

■ STRUCTURE ILLUSTRATION




NO	COMPONENTS	MATERIALS	FINISH/SPECIFICATIONS
1	Lid	Kovar	-
2	Base(Package)	Ceramic (Al ₂ O ₃)+Pad(Au)	Alumina ceramics
3	Crystal blank	SiO2	-
4	Conductive adhesive	Ag	Silicone resin
5	Electrode	Noble Metal + Cr	-





TXC CORPORATION TXC P/N: AY27000003 REVISION: S2 PAGE: 5

PACKING



REMARK:





■ RELIABILITY SPECIFICATIONS (AEC-Q200 Compliant)

1.Mechanical Endurance

No.	Test Item	Test Methods		REF.DOC
1.1	Drop Test	120 cm height, 10 times on Stainles	s Plate .	JIS C 6701
1 2	Mechanical Shock	Device are shocked to half sine wave (3000 G) three mutually		MIL-STD-202
1.2	INIECHANICAI SHOCK	perpendicular axes each 3 times. 0.3m sec. duration time		Method 213
		Frequency range	10 ~ 2000 Hz~10 Hz	
		Amplitude	1.52 mm/10G	MIL OTD COO
1.3	1.3 Vibration	Sweep time	20 minute	MIL-STD-202 Method 204
		Perpendicular axes each test time	4 Hrs	Wictilog 201
			(Total test time 12 Hrs)	
		Temperature	245 °C ± 5°C	
	1.4 Solderability	Immersing depth	1.25 mm	
1.4		Immersion time	5 ± 1 seconds	J-STD-002
		Flux	Rosin resin methyl alcohol	
			solvent (1:4)	
1.5	Terminal Strength	Mount on PCB board and shear strength 1.8kg for 60 sec.		AEC-Q200-006
1.6	Board Flex	Duration Time: 60 sec, Deviation: 3mm		AEC-Q200-005

2. Environmental Endurance

No.	Test Item	Test Methods	REF. DOC
2.1	Resistance To Soldering Heat	Pre-heat temperature $125 ^{\circ}\text{C}$ Pre-heat time $60 \sim 120 \text{sec.}$ Test temperature $260 \pm 5 ^{\circ}\text{C}$ Test time $10 \pm 1 \text{sec.}$	MIL-STD 202 Method 210
2.2	High Temp. Storage	+ 105 °C ± 3 °C for all 1000 Hrs.	MIL-STD-202 Method 108
2.3	Low Temp. Storage	- 40 °C ± 3 °C for all 1000 Hrs.	JIS C 6701
2.4	Thermal Shock	Total 1000 cycles of the following Thermal Shock : $\begin{array}{c c} & 1 & \text{cycle} \\ & 105 \pm 3 ^{\circ}\text{C} \\ & 25 ^{\circ}\text{C} \\ & -55 \pm 3 ^{\circ}\text{C} \\ & &$	MIL-STD-202 Method 107
2.5	Temperature Cycle	Total 1000 cycles of the following temperature cycle : -40° ± 3 to 105° ± 3 , Dwell time:15min.	JESD 22 Method JA-104
2.6	Biased Humidity	+ 85°C ± 3°C , RH 85% , 1000 Hrs.	MIL-STD-202 Method 103
2.7	Moisture Resistance	20 cycles(+25℃~65℃,80%~100% RH),24hrs/cycle.	MIL-STD 202 Method 106
2.8	Operational Life	+ 105 ℃ ± 3 ℃ for 1000 Hrs.	MIL-STD-202 Method 108