

NXP Semiconductor Shenzhen Branch

ITEM :

CRYSTAL RESONATOR

TYPE :

DSX321G

NOMINAL FREQUENCY :

SPEC No. :

62.400MHz

1N262400CC0A

1C262400CC0A

Please acknowledge receipt of this specification by signing and returning a copy to us.

	RECEIPT
DATE	
RECEIVED	(signature) (name)



1. ELECTRICAL CHARACTERISTICS

(This test shall be performed under the conditions of temp.at 25 \pm 3°C, Relative Humidity 60% max.)

(1) NOMINAL FREQUENCY	62.4000	000 MHz			
(2) OVERTONE ORDER	Fundan	nental			
(3) LOAD CAPACITANCE(CL)	12.0	pF			
(4) FREQUENCY TOLERANCE	±25	opm max. (at +25 ± 3 °C)			
(5) DRIVE LEVEL	10 ±	± 2 μW (300 µW ma	ax.)	
(6) SERIES RESISTANCE	50 Ω m	ax. (at Series)			
(7) OPERATING TEMPERATURE RANGE	-40	~ +85 °C			
(8) FREQUENCY CHARACTERISTICS OVER TEMPERATURE	±30 p	opm max. / -40 ~ +85 °	Ċ	(ref. to +	25°C)
(9) SHUNT CAPACITANCE	1.25 p	oF Typ. (2pF max.)			
(10) INSULATION RESISTANCE	500MΩ	min. / DC 100 ± 15V			
(11) STORAGE TEMPERATURE RANGE	-40	~ +115 °C			
(12) MOTIONAL CAPACITANCE	4.34	4 fF (Typ.)			
(13) MOTIONAL INDUCTANCE	1.49	8 mH (Typ.)			
2. CONSTRUCTION (1) DIMENSIONS AND MARKING	Refer to) 4.			
3. OTHER SPECIFICATIONS (1) EMBOSS CARRIER TAPE & REEL	Refer to	5			
(2) PACKING	Refer to				
(3) REFLOW CONDITIONS (REFERENCE)	Refer to				
(4) LAND PATTERN (REFERENCE)	Refer to				
(5) RELIABILITY SPECIFICATION	Refer to				
(6) OTHER HANDLING INSTRUCTIONS	Refer to				
TITLE DSX321G TYPE QUARTZ CRYSTAL SPECIFICATION	N	REMARK			
DATE		SPEC. No.		REV.	PAGE
2011/10/13		1N262400CC0A			1 / 10


DAISHINKU CORP.

1C262400CC0A

2011/10/13


1 / 12

4. DIMENSIONS AND MARKING



5. EMBOSS CARRIER TAPE & REEL

(1) Dimensions of embossed carrier tape





```
(2) Dimensions of tape reel
```




Figure-3

TITLE DSX321G TYPE QUARTZ CRYSTAL SPECIFICATION	REMARK		
DATE	SPEC. No.	REV.	PAGE
2011/10/13	1N262400CC0A 1C262400CC0A		3 / 12

			(UNIT:mm)
Products			DSX321G
Item		Mark	Dimensions Angle
Dia	Diameter		180 Φ +0.0 / -3.0
Inside	of Frange	W1	9.0 ± 0.3
Outside	e of Frange	W2	11.4 ± 1.0
Inside	Diameter	В	Ф60 +1.0-0
		F1	3.0 ± 0.2
Center	Width	F2	4.0 ± 0.2
Core Slit		F3	5.0 ± 0.2
	Length	V	11.9 +0.5 / -0.0
	Angle	q	120°
Spindle	e Diameter	С	13 Φ ± 0.2
	Width	E	2.0 ± 0.5
Key Seats	Length	U	10.5 ± 0.4
	Angle	q	120°
	Dia Inside Outside Inside Center Core Slit	Diameter Inside of Frange Outside of Frange Inside Diameter Unside Diameter Unside Diameter Unside Diameter Spindle Diameter Width Key Seats	Mark Diameter A Inside of Frange W1 Outside of Frange W2 Inside Diameter B Inside Diameter B Vidth F1 Vidth F2 Center F3 Core Slit Length Vidth C Spindle Diameter C Width E Key Seats Length

(3) Storage condition Temperature : +40 °C max.

Relative Humidity : 80% max.

(It is a guaranteed term because it obtains an excellent soldering: 6 months)

(4) Standard packing quantity

3,000 pcs/reel

(5) Material of the tape

Таре	Material
Carrier tape	Polystyrene+Carbon
Cover tape	Polyester

TITLE DSX321G TYPE QUARTZ CRYSTAL SPECIFICATION	REMARK		
DATE 2011/10/13	SPEC. No. 1N262400CC0A 1C262400CC0A	REV.	PAGE 4 / 12

(6) Label contents

Type Our specification No. Your Part No. Lot No. Nominal Frequency Quantity Our Company Name Producting Country

Stick a label on the each reel.

(7) Taping dimension

	Cover-tape	The length of cover-tap	e in the leader is more than 400mm		
Leader	0 1 3				
	Carrier-tape After all products were packaged, must remain more than twenty pieces				
	Covertene		which should be sealed by cover-tape.	I roll around	
Terminal	Cover-tape	the core of reel one rou	all be fixed temporary by paper tape and	i ioli arounu	
Terrininai	Carrier-tape		rea which are sealed by cover-tape mus	t remain	
	ounior apo	more than 40mm.		(Tornain	
					_
1.	Terminal	Component	Leader		
K	*				
		$\neg \langle \langle \neg \rangle$			
		/ /			
	Empty Compone	ents Unreeling direction	Empty Components		
	\longleftrightarrow	\longrightarrow	Cover-tape		
		(
			Carrier-tape		
		Figure-4			
		Ũ			
(9) Release strer It has to be Pulling di Speed	ngth of cover tape ween 0.1 ~ 0.7N	under following condition 180 ° n/min.			
165 ~ 180 °		Pulling dire	ction		
	X				
			_		
	Fig	gure-5			
Other standar	rds shall be based	d on JIS C 0806 ₋₁₉₉₀ .			
TITLE			REMARK		
DSX321G TYPE QUA	ARTZ CRYSTAL S	SPECIFICATION			
DATE			SPEC. No.	REV.	PAGE
			0. 20. 10.	· · · · · ·	, , , OE
			1N262400CC0A		
2	011/10/13		1C262400CC0A		5 / 12

6. PACKING

(1) STORAGE METHOD


Figure 6	Label contents The type of product Lot No. Specification Quantity Shipment Day Remark		
(2) BOX SIZE			
In the upper and lower part and the opening in box it sha aircushion sheets.	all be protected products using		
TITLE DSX321G TYPE QUARTZ CRYSTAL SPECIFICATION	REMARK		
DATE	SPEC. No.	REV.	PAGE
2011/10/13	1N262400CC0A 1C262400CC0A		6 / 1

DAISHINKU CORP.

12

7. REFLOW CONDITIONS (REFERENCE)

During the solder reflow process, please complete within following temperature, period. Reflow soldering shall be allowed only 3 times.





Total time : 240 s max.

Figure-7

HANDSOLDERING METHOD : 350 ± 10 °C , 3+1/-0s Each terminal once (Please take care so that a soldering iron should not touch a product directly.)

8. LAND PATTERN (REFERENCE)






9. MECHANICAL ENDURANCE			
 SHOCK (ACCELERATION) After the following test,parts shall conform specification 11.E 1000m/s² by 6ms X,Y,Z each axis (6 directions), 3cycles 	3.		
 (2) SHOCK (MOUNTING DROP) After the following test,parts shall conform specification 11.E 3cycles(18times) drop from 150 cm heights to concrete. Further,parts shall be solderd on substrate, fixed Aluminum Substrate materials : Glass Epoxy 1 cycle : each 1 times of 6 direction 	materials(about 100g).		
 (3) VIBRATION After the following test,parts shall conform specification 11.E and no abnormal appearance shall be observed. Frequency of Vibration : 10 ~ 500 ~ 10 Hz Amplitude(p-p) : Sine waves of 1.5m Cycle : 11min Vibration axis : X.Y.Z Vibration period : 2 h for each axis 			
 (4) SEAL Less than 2.0×10⁻⁹ Pa m³/s. by Helium leak detector. Also, no serial bubble is observed by Fluorocarbon tests. 			
(5) SOLDERABILITY After the following test, more than 95% of terminal shall be of 3 ± 0.5 s dip in 245 ± 5 °C solder. (Solder composition : Sn-3Ag-0.5Cu) (Use rosin type flux for			
 (6) RESISTANCE TO SOLDERING HEAT (REFLOW) 48 h past at room temperature from following test, parts shal perform the attached Reflow conditions to reference. 	conform specification 11.B.		
 (7) RESISTANCE TO SOLDERING HEAT (HAND SOLDERIN 48 h past at room temperature from following test, parts shal 350 ± 10°C , 3+1/-0s Each terminal once. 			
 (8) SUBSTRATE BENDING After the following test,parts shall conform specification 11.E and no abnormality shall be observed in external appearance tightnen and others shall be based on ET-7403 of EIAJ. Mount the specimen on substrate. Apply the following pressure Direction : see right figure Speed : about 1.0 mm/s Hours : 5±1s Amount of substrate : 3 mm max. 	e and sealing	P.C.B.	
		2	
TITLE DSX321G TYPE QUARTZ CRYSTAL SPECIFICATION	REMARK		
DATE 2011/10/13	SPEC. No. 1N262400CC0A 1C262400CC0A	REV.	PAGE 8 / 12

(9	SHFAR

After the following test,parts shall conform specification 11.B. and no abnormality shall be observed in external appearance and sealing tightness and others shall be based on ET-7403 of EIAJ.




(10) BODY STRENGTH

After the following test,parts shall conform specification 11.B. and no abnormality shall be observed in external appearance and sealing tightness and others shall be based on ET-7403 of EIAJ.

Mount the specimen on substrate.

Apply the following pressure

Weight	:	10N
Hours	:	10 ± 1 s
Direction	:	see right figure



TITLE DSX321G TYPE QUARTZ CRYSTAL SPECIFICATION	REMARK		
DATE 2011/10/13	SPEC. No. 1N262400CC0A 1C262400CC0A	REV.	PAGE 9 / 12

10. ENVIRONMENTAL ENDURANCE

(1) LOW TEMPERATURE

2 h past at room temperature after following test, parts shall conform specification 11.B. 240 h , -40 \pm 3 °C.

(2) HUMIDITY


2 h past at room temperature after following test, parts shall conform specification 11.D. 240 h +85 \pm 2 °C , relative humidity 85 \pm 5%.

(3) HIGH TEMPERATURE

2 h past at room temperature after following test, parts shall conform specification 11.D. 240 h , $\$ +85 ± 2 $^{\circ}C.$

(4) TEMPERATURE CYCLE

2 h past at room temperature after 25 cycles of followingtest, parts shall conform specification 11.D.



11. SPECIFICATION

Frequency Variation and Equivalent Resistance shall be within Table below after the reliability test.

Spec.	Frequency Variation	Equivalent Resistance
Α	±2ppm	± 15 % or 2.0 Ω max. (Use larger specification)
В	±5ppm	± 20 % or 3.0 Ω max. (Use larger specification)
С	±10ppm	± 20 % or 3.0 Ω max. (Use larger specification)
D	±20ppm	± 25 % or 10.0 Ω max. (Use larger specification)

TITLE	REMARK				
DSX321G TYPE QUARTZ CRYSTAL SPECIFICATION					
DATE	SPEC. No.	REV.	PAGE		
	(1) 222 (222 223 1				
2011/10/13	1N262400CC0A		10 / 10		
2011/10/13	1C262400CC0A		10 / 12		

12. DSX321G TYPE QUARTZ CRYSTAL HANDLING INSTRUCTIONS

(1) SOLDERING

Please perform the attached Reflow conditions to reference within 3 times.

(2) MOUNT

Crystal products are designed to be compatible with automatic mounting. Be sure to have a mounting test in advance by using the actual mounting machine and check that the characteristics of the products are not damaged by the automatic mounting. In the process where the boad is warped, such as board separation process, be careful that the warping does not influence the characteristics and soldering of crystal products. Since mounting by Ultrasonic welding and processing have a possibility of an excessive vibration spreading inside a crystal resonator and becoming the cause of characteristic deterioration and not oscillating, it does not recommend.

(3) WASHING

About use of the washing liquid of a basin system, an alcoholic system, and a chlorofluorocarbon-replacing material system, it is checking that it is satisfactory. However please consult in advance about other washing liquid. Although the check about ultrasonic washing is performed, since it is an examination with a simple substance, the check for the second time by the use state is recommended.

(4) THE CAUTIONS ON USE

The piece of crystal it is processed very smaller than the conventional thing

- inside DSX321G series crystal unit may be damaged,
- if excessive excitation electric power is applied.

Please use it below with the value specified on a catalog and specifications.

Please refrain from forming patterns between crystal land pattern's since there is

a possibility to cause crack in base.

If the temperature is higher than 280 °C, there is a possibility for the sealing glass to remelt. Avoid using the product at temperature higher than specified.

(5) HANDLING OF A PRODUCT

DSX321G series has sufficient intensity to fall and vibration. However when too much shock is added according to a certain cause, the use after a characteristic check is recommended.

(6) STORAGE

Since the soldering nature of a terminal may be degraded, please avoid storage in high temperature and a humid place. Please keep it in the place which direct rays do not hit and dew condensation does not generate.

TITLE DSX321G TYPE QUARTZ CRYSTAL SPECIFICATION	REMARK		
DATE	SPEC. No.	REV.	PAGE
2011/10/13	1N262400CC0A 1C262400CC0A		11 / 12

Rev.No Date Reason Contents Approved Checked Drawn 2011/10/13 The first edition. T.Okishio -Y.Maeda M.Shikai -

2011-1321 REVISION RECORD