





J.X.Zhao2012/3/18





NO.1	
PART NO	vigor
1	90±30
2	130±30
3	180±30
4	250±30
5	350±50



NO.2	
Contact	MATERIAL/QTY.
S	SUS/1PC
D	SUS/2PCS

NO.3-NO.4	
PART NO	NOTE
01~99	SERIAL NUMBER



PCB Layout(Pattern Side)

Circuit Diagram

ITEM	PART NAME	TER'NO.	QTY.	MATERIAL	FINISHING	REMARK
⑥	TERMINAL 2	—	1	Brass(0.20t)	Ag-PLATED	—
⑤	TERMINAL 1	—	1	Brass(0.20t)	Ag-PLATED	—
④	Cover	—	1	Sheet Iron	Plating Nickel	—
③	Contact	—	1	Stainless Steel	Ag-PLATED	—
②	Base	—	1	NYLON	Block	—
①	Keystroke	—	1	NYLON	White	—

ECN NO.	REV.	DATE.	DESCRIPTION.	CHANGE.	CHECK.	APPRO.
	A		NEW			

DRAWN		DATE		TITLE:	
王岩		2011.9		TACT SWITCHS	
TOLERANCES ARE				DRAWING NO.	
30~41L	±0.30	ANGLE	±2'	SHEET 1 OF 1	
10~30	±0.20				
5~10	±0.15				
~ 5	±0.10				

台湾汉博电子科技有限公司
 Taiwan Han Bo Electronic Technology Co.,Ltd.
TS-KG07S